Sian in

Google scholar (XML OR HTML OR SGML OR zip file) director

Scholar Preferences

Scholar Articles and patents

include citations

Create email alertResults 1 - 10 of about 187,000. (0.34 sec)

[PDF] W3QS: A query system for the world-wide web

psu.edu (POF)

D Konopnicki, O Shmueli - ... of the International Conference on Very ..., 1995 - Citeseer ... node b if: 1, the file with URL a is in HTML format, and 2, the file with URL a contains at least one anchor that points to node b. A path is a set of nodes {VI,..., vk} such that (Vi, %+1), 1 I i < k, are edges of the graph. A graph pattern ... Cited by 419 - Related articles - View as HTML - SL Direct - All 14 versions

Proxy server caching mechanism that provides a file directory structure and a mapping mechanism within the file

directory structure

A Luotonen - US Patent 5,864,852, 1999 - Google Patents

... and no given directory could be con- sidered "average." For example, some directories might contain only GIF images, whereas others would contain only HTML files (HyperText Markup ... 4 is a schematic representation of a file directory showing a GIF file structure according to ... Cited by 34 - Related articles

[PDF] ORTEP-3 for Windows

dla.ac.uk (POF)

LJ Farrugia - J. Appl. Crystaliogr, 1997 - chem.gla.ac.uk

... http://www.chem.gla.ac.uk/~louis/software/fag/q1.html ... If General Preference #3 is NOT activated, then all these files are written to the home directory, with names which ... 5.1.1 Open File As explained above, this menu item must be selected when a new structure file is to be input. ...

Oited by 14611 - Related articles - View as HTML - All 7 versions

[PDF] Reverse engineering to achieve maintainable WWW sites

psu.edu (PDF)

C Boldvreff, R Kewish - Proc. of the 8th Working Conference on Reverse ... - Citeseer

... As scripts and CSS files contain large amounts of textual data. This data is imported into the HTML file by reference. ... This is avoided by storing all linked files in the directory structure and storing a reference to the file in the database. ...

Cited by 54 - Related articles - View as HTML - All 7 versions

[BOOK] Distributed systems

psuledu iPDFi

AS Tanenbaum, M Van Steen - 2002 - Citeseer

... Activity.html http://www.w3c.org/Protocols/Activity.html http://www.google.com/search?q=kindberg ... 1000 Mbps Ethernet Eswitch: Ethernet switch 100 Mbps Ethernet file server/ gateway printers Campus router ... ATM cell layout Flags Data Virtual channel id Virtual path id 53 bytes ... Cited by 1727 - Related articles - View as HTML - Library Search - All 45 versions

Fast and secure distributed read-only file system

K Fu. MF Kaashoek, D Mazieres - ACM Transactions on Computer ..., 2002 - portal acm org

... It is a hash of the root **directory's** inode **structure**, which through recursive use of H specifies the **contents** of the entire **file** system, as described below. find is the hash of the root of a tree that contains every handle reachable from the root **directory**. ...

Cited by 247 - Related articles - BL Direct - All 70 versions

The wikipedia xml corpus

L Denoyer, P Gallinari - ACM SIGIR Forum, 2006 - portal acm.org

... edit an article using a wiki markup language that offers a simplified alternative to **HTML**. ... English Single-Label Categorization Collection - **XML** Document Mining Collection We provide a specific collection ... The **directory** relfiles contains one **file** per category giv- ing the id of the ...

Cited by 272 - Related articles - Bt. Direct - All 16 versions

MySRB and SRB-components of a data grid

A Rajasekar, M Wan, R Moore - 11th IEEE International ..., 2002 - ieeexplore.ieee.org ... prints the result as a relational table in **HTML** format, the second template HTMLNEST, prints the result as a nested table in **HTML**, and the third template XMLREL, prints the result in **XML**

the result as a nested table in **HIML**, and the third template XMLHEL, prints the result in using a ... In this case, the user specifies a **file** already in SRB as the style-sheet **file**. ...

Cited by 137 - Related articles - All 21 versions

The use of web structure and content to identify subjectively interesting web usage patterns

R Cooley - ACM Transactions on Internet Technology (TOIT), 2003 - portal.acm.org

... Unless XML tags are used to add semantic structure to a Web site, the problem of ... certain steps has changed dramatically as Web sites have moved from static HTML served directly ... Page view identification determines which page file requests are part of the same page view and ...

Cited by 84 - Related articles - All 3 versions

The bittorrent p2p file-sharing system: Measurements and analysis

J Pouweise, P Garbacki, D Epema, H Sips - Peer to Peer Systems IV, 2005 - Springer

... a unique infrastructure that uses mirroring of the web servers with its **directory structure**, meta-data ... technique for fair resource sharing, and a P2P moderation system to filter fake **files**. ... measures the availability and response time of the Suprnova mirrors, the **HTML** script which ...

Oteo by 435 - Relaied stildes - Bl. Oired - All 48 versions

Create email alert

(XML OR HTML OR SGML OR zip Search

<u>psu.edu</u> (POF)

lip6.fr (PDF)

psu.edu (PDF)

inrialpes.ir (PDF)

psu.edu (PDF)

Google scholar [XML OR HTML OR SGML OR zip file) director

Search

Advanced Scholar Search

Scholar Articles and patents

include citations

Create email alertResults 11 - 20 of about 187,000. (0.23 sec)

IHTMLI Opportunistic use of content addressable storage for distributed file systems

N Tolla, M Kozuch, M Satyanarayanan, B ... - Proceedings of the 2003 - usenix.org

... After interpreting the XML data it received, the proxy queries both the client's local cache as well as any nearby jukeboxes for the hashes present in the recipe ... Beginning with the original source tree, the scripts recreate the original directory structure, executes a bulk file copy of ...

Cited by 74 - Related articles - Cached - All 55 versions

IPPFI GENVL and WWWW: Tools for Taming the Web

OA McBryan - Proceedings of the First International World Wide Web 1994 - Citeseer

... Each VL in GENVL is stored in a separate directory, a subdirectory of the VL that created

it. Each such directory contains a file summary.html which describes all postings in that

VL, and which is the main access point from WWW to that VL. ...

Olled by 213 - Related articles - View as HTML - All 14 versions

Venti: a new approach to archival storage

S Quinlan, S Dorward - ... of the FAST 2002 Conference on File and ..., 2002 - usenix.org

... a collection of files and directories as a single object, similar in functionality to the utilities tar and zip. ... There is sufficient information to reconstruct the structure of the file system and to track the daily ... The traces are available at http://www.cs.bell-labs.com/~seang/p9trace.html. ...

Oiled by 328 - Related articles - All 55 versions

Visualizing websites using a hierarchical table of

DA Nation, C Plaisant, G Marchionini, A ... - The craft of information ..., 2003 - books.google.com

... html", h," Treemap" & ltR>95749," DemoPics/treeviz. ... edu/pub/hcil/Demos/Treeviz/", h," Treevis Demos" </HL>/projects/hcil/Research/ </HL>/projects/hcil/ </HDIR> As mentioned earlier WebTOC can also generate the TOC file from the underlying directory structure of the ...

Cited by 89 - Related articles - All 13 versions

Conceptualizing documentation on the Web: An evaluation of different heuristic-based models for counting links between

university Web sites

M Thelwall - Journal of the American Society for Information ..., 2002 - Interscience wiley.com

... an algorithm to automatically merge "similar" Web pages into documents for counting purposes, probably based upon both their content and enveloping link structure. ... This makes the directory

or folder a plausible level of aggregation of HTML files into documents, in ...

Cited by 135 - Pletated articles - BiL Oirect - All 16 versions

usenix.org [HTML]

psu.edu (PDF)

eurecom.fr (PDF)

umd.edu (PDF)

psuledu (PDF)

AGG: A tool environment for algebraic graph transformation

G Taentzer - Applications of Graph Transformations with Industrial ..., 2000 - Springer

... It is possible to have more than one graph grammar loaded. The grammars and their **contents** are visualized Page 3. ... To visualize the **directory structure** to browse **HTML files** we use three different node types (cf. Figure 1), "**Directory**", "HtmlFile", and "Browser". ...

Cited by 75 - Related articles - BL Direct - All 12 versions

From databases to dataspaces: a new abstraction for information management

M Franklin, A Halevy, D Maier - ACM Sigmod Record, 2005 - portal.acm.org

... value in a database, element in a schema or tag in **XML file**). ... Location of participants can take several forms, such as starting a traversal from the root of a **directory structure**, or trying ... The component should perform an initial classification according to participant type and **content**. ...

Cited by 236 - Petated articles - BL Direct - All 30 versions

FARSITE: Federated, available, and reliable storage for an incompletely trusted environment

A Adya, WJ Bolosky, M Castro, G Cermak, R ... - ACM SIGOPS ..., 2002 - portal.acm.org ... A certificate is a semantically meaningful data **structure** that has been signed using a private key. ... For the moment, imagine that the **directory** group manages all of the **file**-system data and metadata, storing it redundantly on all machines in the group. ...

Cited by 581 - Related articles - BL Direct - All 70 versions

The Pfam protein families database

A Bateman, E Birney, L Cerruti, R Durbin, L... - Nucleic acids ..., 2002 - Oxford Univ Press ... in detail at http://www.cgb.ki.se/cgb/groups/sonnhammer/Stockholm.html, and the ... The traditional implementation of Pfam, as a **directory-structure** of text **files**, one **directory** for each ... However, the text **file** based implementation is not well suited to performing cross-family queries ...

Offed by 5128 - Related articles - Bt. Direct - All 75 versions

[PDF] Integrating content-based access mechanisms with hierarchical file systems

B Gonal - 1997 - Citeseer

... struct HTML pages to display the results of searches, they do not allow users to organize and re-use these pages in any meaningful way. ... The Semantic File System (SFS) developed at MIT 23] is one of the rst hierarchical le ... introducing the concept of a virtual directory. ...

Oligo by 110 - Related articles - View as HTML - BL Direct - All 32 versions

Create email alert

◆ Gooooooooogle »

Result Page: Previous 1 2 3 4 5 6 7 8 9 1011

(XML OR HTML OR SGML OR zip (Search

 $\underline{\mathsf{psu.eou}}\, [\mathsf{Pur}]$

psu.edu (PDF)

psu.edu (PDF)

nih.gov (HTML)

osuledu IPOFI

Google scholar (XML OR HTML OR SGML OR zip file) director



Scholar Articles and patents

include citations

Create email alertResults 1 - 10 of about 22,100. (0.26 sec)

[BOOK] Distributed systems

AS Tanenbaum, M Van Steen - 2002 - Citeseer

... Activity.html http://www.w3c.org/Protocols/Activity.html http://www.google.com/search?g=kindberg ... 1000 Mbps Ethernet Eswitch: Ethernet switch 100 Mbps Ethernet file server/ gateway printers Campus router ... ATM cell layout Flags Data Virtual channel id Virtual path id 53 bytes ... Cited by 1727 - Related articles - View as HTML - Library Search - Ali 45 versions

Fast and secure distributed read-only file system

K Fu, MF Kaashoek, D Mazieres - ACM Transactions on Computer 2002 - portal acm org ... systems, rooth is the handle of the file system's root directory. It is a hash of the root directory's inode structure, which through recursive use of H specifies the contents of the entire file system, as described below. fhdb ... Cited by 247 - Related articles - BL Direct - All 73 versions

Separating key management from file system security

D Mazieres, M Kaminsky, MF Kaashoek, E ... - ACM SIGOPS ..., 1999 - portal.acm.org ... With shells that support the copath variable, users can add this sfs-bookmarks directory to their ... This file system would in turn contain symbolic links to other SFS file systems, so that, for ... implemented a dialect of the SFS protocol that allows servers to prove the **contents** of public ... Cited by 324 - Related articles - Bt. Direct - All 57 versions

[PDF] Integrating content-based access mechanisms with hierarchical file systems

B Gopal - 1997 - Citeseer

... struct HTML pages to display the results of searches, they do not allow users to organize and re-use these pages in any meaningful way. ... The Semantic File System (SFS) developed at MIT 23] is one of the rst hierarchical le ... introducing the concept of a virtual directory. ...

Cited by 110 - Related arboles - View as HTML - St. Direct - All 82 versions

Xbase: Making your gigabyte disk gueriable

H Lu. G Wang, G Yu, Y Bao, J Lv, Y Yu - Proceedings of the 2002 ..., 2002 - portal acm.org ... The current version of XBase stores text-based files, including semi-structured data such as XML, HTML, plain text documents (eg, tex files, computer programs) and ... A particular file can also be viewed from the explorer. ... They can be accessed using XML query language, XQuery ... Cited by 17 - Related articles - All 2 versions

psu.edu (POF)

psu.edu (POF)

psu.edu (PDF)

psu.edu (PDF)

File system usage in Windows NT 4.0

W Vogels - Proceedings of the seventeenth ACM symposium on ..., 1999 - portal acm.org

... 5 File system content characteristics To accurately analyze the real-time tracing results we needed to examine the characteristics of the set of files that were to be ... We collected file names and sizes. and creation and access times, as well as directory structure and sizes, ...

Cited by 184 - Related articles - St. Direct - All 49 versions

ROOT--An object oriented data analysis framework

R Brun, F Rademakers - Nuclear Instruments and Methods in Physics 1997 - Elsevier

... The documentation classes allow the creation of hyperized (in HTML format) C++ header and source files, inheritance trees, class indices, macros and session transcripts. ... The first logical record on a file always contains the description of the top level directory of the file. ...

Cited by 700 - Related articles - All 18 versions

Long term distributed file reference tracing: Implementation and experience

L Mummert, M Satvanaravanan - Software: Practice and 1996 - interscience.wilev.com ... The identity of the file system containing the referenced object is also * An inode is a

data structure that describes the file.20 Page 7. ... For example, an open might create a new file, so we record information on the parent directory of the file. ...

Offed by 117 - Related articles - St. Direct - All 24 versions

PRCS: The project revision control system

J MacDonald, PN Hilfinger, L Semenzato - System Configuration ..., 1998 - Soringer ... by code to manage locking and unlocking of RCS files and placing or linking files into the correct

path before performing ... and delta algorithm implementation described in (§8) is available at http://www.xcf.berkeley.edu/~imacd/xdelta.html. ... [4] Seiwald, C. Inter-file branching — A ...

Ofted by 39 - Related articles - Bt. Direct - All 24 versions

[PDF] What's in Unison? A formal specification and reference implementation of a file synchronizer

BC Pierce, J Vouillon - Technical Repor MS-CIS-03-36, ..., 2004 - recository.upenn.edu ... For the sake of brevity, we present here a simplified core of the actual reference implementation, omitting file and directory metadata, symbolic ... Update detection: The function buildUpdates compares an archive o with a filesystem a. It returns a data structure uia describing ...

Cited by 46 - Related articles - All 3 versions

Create email alert

Goodooooogie >

Result Page: 1 2 3 4 5 6 7 8 9 10

cern.ch IPDFI

psu.edu (POF)

psu.edu (PDF)

upenn.edu (PDF)

(XML OR HTML OR SGML OR zip f Search

Sian in

Google scholar (XML OR HTML OR SGML OR zip file) director

Search

Advanced Scholar Search Scholar Preferences

Scholar Articles and patents

anvtime

include citations

Create email alertResults 11 - 20 of about 22,100. (0.18 sec)

Presto: an experimental architecture for fluid interactive document spaces

P Dourish, WK Edwards, A LaMarca, M ... - ACM Transactions on ..., 1999 - portal acm.org ... of this model to incorporate Java Beans, such as for images and HTML files, that can ... system, the Presto database remains up-to-date, because Presto is the file system. ... Appropriately formatted directory names are interpreted as queries, which appear to "contain" the documents ...

Cited by 202 - Related articles - BL Direct - All 20 versions

A five-year study of file-system metadata

N Agrawal, WJ Bolosky, JR Douceur, JR ... - ACM Transactions on ..., 2007 - portal acm.org ... modification. We present a generative model that explains the namespace structure and the distribution of directory sizes. We ... capacities. We give examples of consequent lessons for designers of file systems and related software. ...

Cited by 86 - Related articles - All 20 versions

[PDF] A 64-bit, shared disk file system for Linux

KW Preslan, AP Barry, JE Brassow, GM ... - Proceedings of the 16th ..., 1999 - Citeseer ... Inode #: 5 Name: datafile1 Inode #: 3 Hash: 0010 Name: index.html Inode #: 23 Hash: 0011 ... 4.1.3 Access Times Assuming a 4096-byte block size and 280-byte directory entries, a GFS ExHash directory can hold up to about 1700 files and find any file in one block read. ... Oted by 116 - Related articles - View as HTML - All 18 versions

IRON file systems

.... N Agrawal, HS Gunawi, AC Arpaci-... - Proceedings of the 2005 - portal acm org

... Purpose inode Info about files and directories directory List of files in directory data bitmap ... for large files to exist data Holds user data super Contains info about file system group ... revoke Tracks blocks that will not be replayed journal descriptor Describes contents of transaction ...

Clied by 101 - Related articles - BL Direct - All 28 versions

ICITATION File structures: an object-oriented approach with C++

MJ Folk, B Zoellick, G Riccardi - 2006 - Pearson Education India

Cited by 46 - Related articles - All 5 versions

[PDF] Group sharing and random access in cryptographic storage file systems

KF Fil - 1999 - Citeseer

... table, and data blocks. Figure 1-1 shows the arrangement of structures on a partition. We explain each structure below. Disk ... by an inode which contains metadata necessary to locate the contents psu.edu (POF)

usenix.org [HTML]

psu.edu (PDF)

psu.edu [PDF]

osuledu iPDFi

(XML OR HTML OR SGML OR zip file) directory structure file content file descriptor - Google Scholar

of the file. An ... Common file types include: regular file, directory, and symbolic link. ...

Cited by 74 - Related articles - View as HTML - All 17 versions

[PDF] An MPEG-7 tool for compression and streaming of XML data

U Niedermeier, J Heuer, A Hutter, W Stechele, ... - ... on Multimedia and Expo, 2002 - Citeseer ... of the binary format the technique works not only for MPEG-7, but for all XML documents, that are ... home page: http://mpeg.telecomitalialab.com [5] http://www.research.att.com/sw/tools/xmill/technique.html File Original size Fragment payload Path absolute Path relative XMill ZIP ... Cited by 48 - Related articles - View as HTMt. - All 10 versions

psu.edu (PDF)

The Greenstone plugin architecture

IH Witten, D Bainbridge, G Paynter, S ... - ... of the 2nd ACM/IEEE-CS ..., 2002 - portal.acm.org ... Microsoft Word documents, to take just one example of a document type, are processed into Greenstone's standard XML form by a "markup" plugin called WORDPlug. ... HTMLPlug HTML, replacing hyperlinks appropriately. ... SplitPlug Splits a document file into parts. ... Clied by 18 - Pelated articles - All 10 versions

psu.edu (PDF)

[PDF] The PROSITE database, its status in 1997

A Bairoch, P Bucher, K Hofmann - Nucleic Acids Research, 1997 - ncbi.nlm.nih.gov ... Loads a profile from a **file** and scans for it in a SWISS-PROT data base **file**. ... tools are available by anonymous FTP from the server ulrec3.unil.ch in the **directory** /pub/pftools.. ... documentation and data entries by opening the URL: http://expasy.hcuge.ch/sprot/prosite.html To use ... Cited by 713 - Related articles - Bt. Direct - All 14 versions

nih.gov (POF)

A comparison of text and shape matching for retrieval of online 3D models

P Min, M Kazhdan, T Funkhouser - Research and Advanced Technology ..., 2004 · Springer ... 747 5. URL path: These are the **directory** names of the full URL to the model **file**. If multiple models are organized in a **directory structure**, the **directory** names could be category names helpful for ... text after the tag until the next <a href> tag (or until the next **HTML** tag if ... Cited by 35 - Petated articles - BL Direct - All 22 versions

<u>psu.edu</u> (PDF)

Create email alert

(XML OR HTML OR SGML OR zip | Search

Go to Google Home - About Google - About Google Scholar

©2010 Google

Sign in

Google scholar (XML OR HTML OR SGML OR zip file) director

Scholar Articles and patents

include citations

Create email alertResults 1 - 10 of about 13,500. (0.23 sec)

[BOOK] Distributed systems

psu.edu (POF)

AS Tanenbaum, M Van Steen - 2002 - Citeseer

... Activity.html http://www.w3c.org/Protocols/Activity.html http://www.google.com/search?g=kindberg... 1000 Mbps Ethernet Eswitch: Ethernet switch 100 Mbps Ethernet file server/ gateway printers Campus router ... ATM cell layout Flags Data Virtual channel id Virtual path id 53 bytes ... Cited by 1727 - Related articles - View as HTML - Library Search - All 45 versions

Fast and secure distributed read-only file system

psu.edu (POF)

K Fu, MF Kaashoek, D Mazieres - ACM Transactions on Computer 2002 - portal acm org ... It verifies the signature on the **structure**, ensures that the start field is no older than its ... When the client has the directory entry (README, handle), it calls getdata on handle to obtain ... 5. APPLICATIONS To demonstrate the usefulness of the SFS read-only file system, we describe ... Cited by 247 - Related articles - St. Direct - All 73 versions

Separating key management from file system security

psu.edu IPDFI

D Mazieres, M Kaminsky, MF Kaashoek, E ... - AOM SIGOPS ..., 1999 - portal acm.org ... needs, we implemented a dialect of the SFS protocol that allows servers to prove the contents of public ... One can in fact build an agent that generates self-certifying path- names from SSL certificates ... The agent might intercept ev- ery request for a file name of the form /sfs/hostname ... Cited by 324 - Related articles - St. Direct - All 57 versions

The use of web structure and content to identify subjectively interesting web usage patterns

inrialbes.fr (PDF)

R Cooley - ACM Transactions on Internet Technology (TOIT), 2003 - portal.acm.org ... Unless XML tags are used to add semantic structure to a Web site, the problem of ... certain steps has changed dramatically as Web sites have moved from static HTML served directly ... Page view identification determines which page file requests are part of the same page view and ...

Cited by 64 - Related articles - All 3 versions

IBOOKI More servlets and JavaServer pages

M Hall - 2001 - portal.acm.org

... It also gives details on every element in version 2.3 of the deployment descriptor (web.xml). ... author tells you that the way you access servlets is by typing you application directory + /servlets/ + the ... So you have to go and modify your web.xml file, which is not covered in the those ...

Cited by 320 - Related articles - All 11 versions

[BOOK] Java for the Web with Servlets, JSP, and EJB

B Kumiawari - 2002 - books.google.com

... Summary 481 19 XML-Based E-Books 483 The Table of Contents 484 Translating XML into the ... that you experienced the time when a web site was no more than HTML pages. ... the location you specify in the Uniform Resource Locator (URL), The computer where the file is stored ... Cited by 100 - Related articles - Library Search - All 13 versions

Web mining for web personalization

M Eirinaki, M Vazirgiannis - ACM Transactions on Internet ..., 2003 - portal acm.org ... can be either data entities used within a **Web** page, such as **HTML** or **XML** tags, or ... interactions within a site and contains data param- eters that allow the remote **HTML server** to keep a ... as users give the necessary information for a food delivery or pickup, because **zip** code data ... Cited by 431 - Related articles - All 31 versions

psuledu (PDF)

Method of providing internet pages by mapping telephone number provided by client to URL and returning the same in a redirect command by server

DK Gliford... - US Patent 5.812,776, 1998 - Google Patents

... "Content in context: the future of SGML and HTML ... Re-enter password: 5. E-mail address 6. Your birthdate (MM/DD/YY 7 US zip code, or country code Zip /postal code ... or a path, on the host machine; and "page.html" is the file name with an indication that the file written in HTML. ...

Oited by 53 - Related articles

Xbase: Making your gigabyte disk gueriable

H Lu, G Wang, G Yu, Y Bao, J Lv, Y Yu - Proceedings of the 2002 ..., 2002 - portal.acm.org ... The current version of XBase stores text-based **files**, including semi-structured data such as **XML**, **HTML**, plain text documents (eg, tex **files**, computer programs) and ... A particular **file** can also be viewed from the explorer. ... They can be accessed using **XML** query language, XQuery ... Cited by 17 - Related articles - All 2 versions

Interoperable Web services for computational portals

M Pierce, G Fox, C Youn, S Mock, K ... - ACM/IEEE 2002 ..., 2002 - ieeexplore lieee.org ... Each component web page is contained in a table and the final composite web page is a collection of nested HTML tables, each containing material loaded from the specified content server ... In Jetspeed, this is done by editing an XML configuration file (local-portlets ... Cited by 47 - Felated articles - All 22 versions

psuledu (POF)



Google scholar setup web server by only one XML descriptor fi



Scholar | Articles and patents

include citations

Create email alertResults 1 - 10 of about 34,200. (0.27 sec)

Freenet: A distributed anonymous information storage and retrieval system

I Clarke, O Sandberg, B Wiley, T Hong - Designing Privacy Enhancing ..., 2001 - Springer

... This is an approach also in common use on the world-wide web. 3.2 Retrieving Data ... This reinforces the clustering of keys set up by the request mechanism. ... Individual Freenet node operators can configure the amount of storage to dedicate to their datastores. ...

Cited by 2141 - Related articles - BL Direct - All 195 versions

psu.edu (PDF)

psu.edu (PDF)

Interoperable Web services for computational portals

M Pierce, G Fox, C Youn, S Mock, K ... - ACM/IEEE 2002 2002 - leeexplore leee.org

... This keytab must be kept secure and usually is readable only by privileged users. Thus we believe that limiting the use of keytabs to a single, well secured server is desirable. ... system is illustrated in Figure 2 and works as follows: a user logs in through a web browser and ...

Cited by 47 - Related articles - All 22 versions

psu.edu IPDFI

Separating key management from file system security

D Mazieres, M Kaminsky, MF Kaashoek, E... - ACM SIGOPS 1999 - portal.acm.org

... Establishing a secure web server with SSL involves signif- icant time, complexity, and cost. ... If the admin- istrators of a site want to install some server's public key on the local hard disk of ... Thus, one need not change a file server's public key preemptively for fear of future disclosure ...

Oited by 324 - Related articles - BL Direct - All 57 versions

[BOOK] Java servlet programming

J Hunter, W Crawford - 2001 - books.cocole.com

... What You Need to Know When we first started writing this book, we found to our surprise that one of the ... Of course, external references only get you so far. ... read the book offline, you might want to download the example code and a copy of the Apache Tomcat web server the next ...

Oited by 516 - Related articles - Library Search - All 8 versions

The design of Jemboss: a graphical user interface to EMBOSS

T Carver, A Bleasby - Bioinformatics, 2003 - Oxford Univ Press

... It is possible to configure the **server** to use UNIX authen-tication (using the EMBOSS ajax library described later). ... The Jemboss installation script also allows the set-up of a standalone version of the interface.... The Tomcat server and name of the web service is included in this file...

Cited by 40 - Related anticles - Bt. Direct - All 6 versions

oxfordiournals.org (PDF)

[BOOK] More servlets and JavaServer pages

M Hall - 2001 - portal acm org

... It shows you how to configure your **server**, read form data and HTTP headers, handle cookies, track sessions, apply JSP scripting elements, use JavaBeans components ... So you have to go and modify your web.xml file, which is not covered in the those set up sesctions of the ...

Cited by 320 - Related articles - All 11 versions

[CITATION] Professional Java server programming J2EE 1.

S Allamaraju, C Buest - 2007 - Dreamtech Press

Oited by 118 - Related articles - Library Search - All 6 versions

subbulara (PDF)

Network attached storage architecture

GA Gibson, R Van Meter - Communications of the ACM, 2000 - portal acm.org

... storage-appliance vendors concentrate on making each appliance as easy to configure as possible ... and manual management of aggregation is popular for providing information content over the Web. ... There are many ways to ensure that the server in such asymmetric systems ...

Clied by 275 - Related articles - St. Direct - All 7 versions

sculedu (DOC)

[BOOK] Java for the Web with Servlets, JSP, and EJB

B Kurniawan - 2002 - books.google.com

... In tact, this is the **only** book that gives you all you need to know about Java **web** ... Tree 485 The Project 488 Pre-Render the Table of Contents 501 Summary 5iM 20 Web-Based Document ... 886 Servlet/JSP Containers 887 JDBC 887 JNDI 887 JMS 887 EJB 888 J2EE Server 888 H ...

Clied by 100 - Related articles - Library Search - All 19 versions

psuledu (PDF)

[BOOK] The java web services tutorial

E Armstrong, S Bodoff, D Garson, M Fisher, D Green, K ... - 2002 - Citeseer

... The release described in this book may be protected by **one** or more US patents, foreign patents. or pending applica- tions. ... 115 Installing and Starting the Database Server 115 Populating the Database 116 Configuring the Web Application to Reference a Data Source 117 ...

Cited by 52 - Related articles - View as HTML - All 64 versions



Gooooooogle >

1 2 3 4 5 6 7 8 9 10 Result Page:

setup web server by only one XML d. Search

Go to Google Home - About Google - About Google Scholar

setup web server by only one XML descriptor file contain directory structure and files contents - Google Scholar

Google scholar setup web server by only one XML descriptor fi



Scholar Preferences

Scholar Articles and patents

include citations

Create email alertResults 11 - 20 of about 34,200. (0.23 sec)

NPACI Rocks: Tools and techniques for easily deploying manageable linux clusters

PM Papadopoulos, MJ Katz, G ... - ... Practice and Experience, 2003 - interscience wiley.com ... Did I configure it correctly?' • "When my script attempted to update 32 nodes ran, was node X ... This text file contains all the package names to install and 'post processing' commands. ... XML VERSION="1.0" STANDALONE="no"?> < KICKSTART> < DESCRIPTION> Setup the DHCP ...

Cited by 166 - Related articles - Bit Direct - All 277 versions

psu.edu (POF)

[BOOK] Java programming with the SAP Web application server

K Kessler, P Tillert, P Dobrikov - 2005 - sap-press.de

... Web Application Server), and Miroslav Petrov (Chapter 12, Supportability of the SAP Web Application Server ... up and then develop a small example project in the infrastructure that we have set up. ... a few tasks that you must execute repeatedly during the first setup and throughout ... Cifed by 24 - Related articles - Library Search - All 10 versions

sap-presside (PDF)

YouServ: a web-hosting and content sharing tool for the masses

RJ Bayardo Jr, R Agrawat, D Gruhl, A ... - ... on World Wide Web, 2002 - portal acm.org ... Others install firewall software because of general security concerns ... point of any peer node, which must authenticate itself before YouServ will set up the appropriate ... The communication protocols used in YouServ are DNS and HTTP (for supporting standard web browsers), and ... Gited by 32 - Related articles - All 30 versions

psu.edu (PDF)

The gateway computational web portal

ME Pierce, C Youn, GC Fox - ... and Computation: Practice ..., 2002 - Interscience wiley.com ... THE GATEWAY COMPUTATIONAL WEB PORTAL 1417 ... Clients contact and interact directly with the parent (root) server only, which acts as a naming service to forward ... A client contacting the parent server could then look up each of these children and thus have transparent ... Cited by 37 - Related articles - BL Direct

гвоокт Apache: the definitive guide

B Laurie, P Laurie - 2002 - portal acm ord

... You can safely say: "This book has everything you need to set up an apache server." Apache Cookbook: Solutions and Examples for ... Excellent book, cover unix and windows install and configuration. ... Sub-Categories: Internet/Online > Apache Internet/Online > Web Server. ...

Cited by 165 - Related articles - Library Search - All 37 versions

iustpain.com (PDF)

(PDF) The J2EE 1.4 Tutorial

E Armstrong, J Ball, S Bodoff, DB Carson, I Evans, D ... - Sun Microsystems, 2003 - Citeseer ... 104 Defining a Data Source in the J2EE **Server** 105 Configuring the **Web** Application to Reference a Data Source with JNDI 106 Mapping the **Web** Application JNDI Name to a Data Source 107 ... Page 9. **CONTENTS** ix Generating **XML** from an Arbitrary Data **Structure** 275 ...

Cited by 79 - Related articles - View as HTML - All 23 versions

[PDF] Enterprise JavaBeans Technology

A Thomas, P Seybold - ... Seybold Group, White Paper prepared for ..., 1996 - wiki.daimi.au dk ... Web application servers, such as BEA WebLogic, Bluestone Sapphire, IBM WebSphere, Netscape Application Server ... A particular class of enterprise bean is assigned to one and only one EJB container ... as a physical entity, such as a multithreaded process within an EJB server. ...

Cited by 92 - Related articles - View as HTML - All 23 versions

[PDF] Java servlet specification, V2. 2

JD Davidson, D Coward - Final Release, December, 1999 - webs.hufs.ac.kr

... by copyright and the information described herein may be protected by **one** or more ... Specification **contains** the proprietary and confidential information of Sun and may **only** be used ... **Web Server** and Application **Server** vendors that want to provide Servlet Engines that conform ...

Glad by 38 - Related articles - View as HTML - All 3 versions

(PDF) Data mining for web intelligence

J Han, KCC Chang - IEEE Computer, 2002 - Citeseer

... This data, which can include user browsing sequences from the **Web server's** buffer pages along with ... or the possible spectrum of recommendations is too broad to **set up** a history ... would enhance information extraction for the construction of a multilayered **Web** information base. ...

Cited by 75 - Petated articles - View as HTML - Bt. Diract - All 35 yearsions

Assembling and enriching digital library collections

D Bainbridge, J Thompson, IH ... - 2003 Joint Conference on ..., 2003 - leeexplore-leee.org ... structure, organization, and presentation of any particular collection are determined when the collection is set up. ... Greenstone is so easy to install and run that, contrary to the assumptions we ... the left are listed the various facets that the user can configure: Indexes, Subcollections ... Cated by 40 - Related addicts - All 12 versions

Create email alert



au.dk [PDF]

hufs.ac.kr (PDF)

psu.edu (PDF)

waikato.ac.nz (PDF)

setup web server by only one XML (Search

Google scholar device automation apparatus with file index stru

Advanced Scholar Search Scholar Preferences

Scholar Articles and patents

include citations

Create email alertResults 1 - 10 of about 5,260. (0.14 sec)

Method for extracting profiles and topics from a first file written in a first markup language and generating files in different markup languages containing the profiles and ...

CF Meske Jr, PJ Hooper, MR Opperman - US Patent 5,530,852, 1996 - Google Patents

... Mamrak et al., "Benifits of Automating Data Translation", IEEE, Jul./1993, pp ... file to remove articles

& create directories 712 Postprocess directories & files to create homepage and expanded index

714 Update FreeWAIS indices No 706 Copy E-Mail to Working File, Yr-Day ...

Cited by 260 - Related articles

Data file apparatus for registering and retrieving data files in accordance with attribute information thereof

Y Kurosu, Y Yokoyama, H Masuzaki - US Patent 5,625,810, 1997 - Google Patents

... f .000 to 200.000 images, there office automation (OA) device following word processors, lst a ... an to the present invention, the above data file apparatus optical disk device, file data can ... An embodiment of the data file apparatus of the present For registration or retrieval of image ...

Cited by 7 - Related articles

Method and apparatus for information management using an open hierarchical data structure

P Zellweger - US Patent 5,630,125, 1997 - Google Patents

... Page 17. 5,630,125 1 2 METHOD AND APPARATUS FOR to place orders. ... 15, exchange between the buyer and the seller by automating pp.71-80. ... Performance, Reading Mass.: Addison-Welsey, 1993 As mass storage devices, such as CD-ROM, become more "Sri*, *"? ...

Cited by 89 - Related articles

Method and apparatus for document management utilizing a messaging system

JE Porter, GL Brimhall, WM Crane, LP O' ... - US Patent App. 09/ 1998 - Goodle Patents

... CONTENT ACCESS FILE SYSTEM AND SEARCH DOCUMENT ADDITIVE INDEX FOR

DOCUMENT ... 29, 2002 METHOD AND APPARATUS FOR DOCUMENT MANAGEMENT UTILIZING

A MESSAGING SYSTEM ... A file system 100 contains the document contents 110 which are ...

Cited by 12 - Related articles - All 4 versions

Methods and apparatus for automatically synchronizing electronic audio files with electronic text files

DE Heckerman, FA Alleva, RL Rounthwaite, D.,.. - US Patent 2001 - Goodle Patents

... attempting to improve his/her reading skills may wish to listen to the audio version of a book while having text corresponding to the audio being presented highlighted on a display device. ...

Accordingly, there is a need for methods and apparatus for automating the synchroniza ...

Cited by 10 - Related articles

Device, especially an automation apparatus, with a file index structure stored in files

T Taianis, F Volkmann - US Patent App. 10/524,782, 2003 - Google Patents
Patent Application Publication Nov. 17,2005 Sheet 4 of 4 US 2005/0256894 AI FIG 4 38 31 1
Lu Lr -D a & 11-32 ... US 2005/0256894 AI Nov. 17, 2005 DEVICE, ESPECIALLY AN AUTOMATION
APPARATUS, WITH A FILE INDEX STRUCTURE STORED IN FILES CROSS ...

All 3 versions

Method, apparatus and program storage device for providing real-time file system charge-back accounting per management object during a report cycle

JJ Seeper, JC Young - US Patent App. 11/294,165, 2005 - Google Patents

... The charge-back data is main-tained real time with **file** system activity to provide a more accurate space ... 0036] The data processing **apparatus** 120 also ... Instead, such a client would desire access to direct access storage **devices** or other more costly storage resources for all data ...

Method and apparatus for file searching, accessing file identifiers from reference page

T Rahman - US Patent 6.832,220, 2004 - Google Patents

... US 6,832,220 BI METHOD AND **APPARATUS** FOR **FILE** SEARCHING, ACCESSING **FILE** IDENTIFIERS FROM REFERENCE PAGE ... For example, for web pages (or other displayable **files**), the **file** contents can be displayed to the user in a window of a display **device** at client ...

Related articles

Data processing apparatus

P Burda, R Eneiling - US Patent App. 09/749,468, 2000 - Google Patents


... 1 illustrates a set top box incorporating data processing **apparatus** according to the invention, during a recording of a program. ... An operating system 21 provides control of the **device** drivers 20. ... In order to get the next cluster of the **file**, this address is used as an **index** in the FAT. ...

Apparatus, method, program, and data structure for assisting placing order for manufacturing semiconductor device

T Chiba - US Patent App. 09/893.663, 2001 - Google Patents

... 10,2002 (54) APPARATUS, METHOD, PROGRAM, AND DATA STRUCTURE FOR ASSISTING PLACING ... MAKERS ALREADY INTERFACED TAT PRICE L FIG.9 INTERFACE FILE 72 r R ... EXPENSE)R SHARED WITH DEVELOPER RODUCE THE SAMPLE DEVICE W SAMPLE ...





device automation apparatus with fill Searc

Sign in

Google scholar device automation apparatus with file index stru

Scholar | Articles and patents

include citations

Create email alertResults 11 - 20 of about 5,260. (0.13 sec)

Method and apparatus for data storage and interchange using a relational database table, and a data record for use in

connection therewith

VL Alexander, JL Gaudet, LE Jordan, R.,. - US Patent ..., 1995 - Google Patents

... "Multi-Vendor Information Interchange", D. Pistole, Office Automation Conference Digest ... 5,414,834 METHOD AND APPARATUS FOR DATA STORAGE AND INTERCHANGE USING A RELATIONAL ...

representations produced by a printer, display, or other input/output device. ...

Cited by 13 - Related anticles

(PDF) Office automation

RJ Spinrad - Science, 1982 - chester.xerox.com

... if the raster printer is located within about 50 meters of the user, the substantial advantages it offers make it the output device of choice ... A scientist may want direct control of a tricky piece of experimental apparatus. ... The fully functional office automation system does more than this. ... Cited by 25 - Related articles - All 4 versions

Term-based methods and apparatus for access to files on shared storage devices

CJ Stakutis, W Haselton - US Patent 6.658.417, 2003 - Google Patents

... (57) ABSTRACT Methods and apparatus for accessing ... Technology and 5,577,240 A 11/1996 Demers et al 707/8 File Organization," Journal of Library Automation Vol. ... 711/113 Integrated Device Electronics File Subsystem," IBM Tech-5,812,754 A 9/1998 Lui et al 714/6 nical ...

Cited by 3 - Related articles

IPDFI Improving small file performance in object-based storage

J Hendricks, RR Sambasivan, S Sinnamohideen, GR ... - 2006 - Citeseer

... of work-loads, despite the potential additional value of object-based storage for document management [8, 26] and automation [11, 26 ... We require the storage device to verify that a version number is greater than rather than equal to the version number ... 4 Experimental Apparatus ...

Cited by 7 - Related articles - View as HTML - All 9 versions

Methods and apparatus for automated true object-based image analysis and retrieval

JE Retterath, RA Laumever - US Patent 7,590,310, 2009 - Google Patents

... 15, 2009 (54; (75 (73 (* (21 (22 (65 (60 METHODS AND **APPARATUS** FOR AUTOMATED ... Classification Search 382/190, 382/305; 707/3 See application file for complete ... Mandal. Illumination Invariant Image Indexing Using Moments and Wavelets, Journal of Electronic Imaging ...

All 2 versions

xerox.com (PDF)

psuledu (PDF)

Method and apparatus for providing multiple views of virtual documents

GT Brown, YN Doganata, Y Drissi, TH Fin. ... - US Patent App. 10/ ..., 2002 - Google Patents ... time a search engine is added, which limits the flexibility and the automation level of ... a program of machine-readable instructions executable by a digital processing apparatus to perform a ... 824. mouse 826, speaker 828, microphone 832, and/or other user interface device to the ...

Extended storage capacity for a network file server

TK Wong, P Tsirigotis, A Ivengar, P ... - US Patent App. 10/ 2004 - Google Patents ... 24, 2003, entitled "Method and Apparatus for Transparent File Replication Using the Technique of ... personal digital assistants, game con-soles, televisions, set-top boxes, premises automation equip- ment ... 110 and the directory file server 120 are contained within a single device. ... All 4 versions

Voice prompt generation using downloadable scripts

SO Belhai - US Patent App. 11/113,523, 2005 - Google Patents ... OH, THIR, FIF, TEEN, HUNDRED, THOUSAND [0022] This allows for the automation of number enun ... prompt generation applications, in communication devices or other types of processor-based devices. ... What is claimed is: 1. An apparatus for generating voice prompts, the appa ...


Method and apparatus for importing information from a network resource

DP Gardner, S Kaye, J Pierce - US Patent 6,701,352, 2004 - Google Patents ... 60 202 S 210 COHH PGH I 230 x WEB SERVER STORAGE DEVICE /-6B HTTP ... SUMMARY OF THE INVENTION The invention provides a method, apparatus, and com- puter program ... another aspect, the browser is driven by the local processing resource using OLE Automation. ... Cited by 3 - Related articles

Apparatus for automating a stringed instrument

KB Caulkins, JM Caulkins - US Patent 6,166,307, 2000 - Google Patents ... 6,166,307 1 2 APPARATUS FOR AUTOMATING A sounding of the strings of a stringed musical ... The automation of the tension- ing of the strings is accomplished by a weighted tensioning linkage ... Individual devices 322-326 are respec- 45 lively associated with all of the strings. ... Cited by 5 - Related articles





device automation apparatus with fill Search